

AD-A167 061

MATHEMATICAL PROBLEMS OF NONLINEAR WAVE PROPAGATION AND
OF WAVES IN HETER. (U) STANFORD UNIV CA APPLIED
MATHEMATICS GROUP J B KELLER MAR 85 AFOSR-TR-86-0163
AFOSR-79-0134


1/1

UNCLASSIFIED

F/G 20/4

NL





MICROCOPY

CHART

UNCLASSIFIED

DTIC
ELECTE

(2)

SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION

REPORT SECURITY CLASSIFICATION

Unclassified

1b. RESTRICTIVE MARKINGS

D

SECURITY CLASSIFICATION AUTHORITY

3. DISTRIBUTION/AVAILABILITY OF REPORT
Approved for public release;
Distribution unlimited

DECLASSIFICATION/DOWNGRADING SCHEDULE

PERFORMING ORGANIZATION REPORT NUMBER(S)

5. MONITORING ORGANIZATION REPORT NUMBER(S)

AFOSR-TR-86-0163

NAME OF PERFORMING ORGANIZATION
Applied Mathematics Group
Stanford University5b. OFFICE SYMBOL
(If applicable)

7a. NAME OF MONITORING ORGANIZATION

AFOSR/NM

6c. ADDRESS (City, State and ZIP Code)

Stanford California 94305

7b. ADDRESS (City, State and ZIP Code)

Bld. 410
Bolling AFB, DC 203328a. NAME OF FUNDING/SPONSORING
ORGANIZATION

AFOSR

8b. OFFICE SYMBOL
(If applicable)

9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER

AFOSR-79-0134

8c. ADDRESS (City, State and ZIP Code)

BLDG. 410
Bolling AFB, DC 20332

10. SOURCE OF FUNDING NOS.

PROGRAM
ELEMENT NO.
61102FPROJECT
NO.
2304TASK
NO.
A4WORK UNIT
NO.

11. TITLE (Include Security Classification)

Mathematical Problems of Nonlinear Wave Propagation and of Waves in Heterogeneous Media

12. PERSONAL AUTHOR(S)

Professor Joseph B. Keller

13a. TYPE OF REPORT
FINAL13b. TIME COVERED
FROM Oct 1/83 TO Sept 30/8414. DATE OF REPORT (Yr., Mo., Day)
March 8515. PAGE COUNT
17

16. SUPPLEMENTARY NOTATION

17. COSATI CODES

FIELD GROUP SUB. GR.

18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)

nonlinear waves, heterogenous media;
reciprocal theorems, effective parameters

19. ABSTRACT (Continue on reverse if necessary and identify by block number)

This is the final report of a project carried out in the Applied Mathematics Group of the Department of Mathematics at Stanford University. Results were obtained on the reflection of waves from rough boundaries. Novel features are the calculation of second moments of the scattered field and the relation of the results to those of Twersky. In addition the effective viscosity tensor of a periodic suspension and the effective elasticity tensor of a periodic composite were calculated for all concentrations up to close packing. The acoustoelastic effect has also been analyzed. Various new results on inverse scattering have been obtained in two and three dimensions.

DTIC FILE COPY

20. DISTRIBUTION/AVAILABILITY OF ABSTRACT

UNCLASSIFIED/UNLIMITED ☒ SAME AS RPT. ☐ DTIC USERS ☐

21. ABSTRACT SECURITY CLASSIFICATION

Unclassified

22a. NAME OF RESPONSIBLE INDIVIDUAL

Dr. Robert N. Buchal

22b. TELEPHONE NUMBER
(Include Area Code)

(202)767-4939

22c. OFFICE SYMBOL

NM

AFOSR-TR- 86-0163

**Mathematical Problems of Nonlinear Wave Propagation
and of Waves in Heterogeneous Media**

Final Report

October 1, 1983 — September 30, 1984

Professor Joseph B. Keller

March 1985

Air Force Office of Scientific Research

Grant: AFOSR 79 0134



Stanford University

**Approved for public release;
distribution unlimited.**

1/1/85

DISCLAIMER NOTICE

**THIS DOCUMENT IS BEST QUALITY
PRACTICABLE. THE COPY FURNISHED
TO DTIC CONTAINED A SIGNIFICANT
NUMBER OF PAGES WHICH DO NOT
REPRODUCE LEGIBLY.**

AIR FORCE OFFICE OF SCIENTIFIC RESEARCH (AFSC)
NOTICE OF TRANSMITTAL TO DTIC
This technical report has been reviewed and is
approved for distribution under AFOSR-12.
Distribution is unlimited.
MATTHEW J. KESLER
Chief, Technical Information Division

I. BRIEF OUTLINE OF RESEARCH FINDINGS

During the last year we have worked on problems of wave propagation in random media, reflection of waves from rough surfaces, effective parameters of heterogeneous materials, inverse scattering theory, acoustoelasticity, Hill's equation and some other topics. We shall describe some of this work in this section. Most of the rest of our completed work, which is not described here, is contained in the research papers which are listed in Section II. Some of the articles listed there have been published already, others have been accepted for publication and are now in press and some have been submitted for publication but have not yet been accepted. The status of each paper is indicated after its title, and the references to the published papers are also given.

Concerning waves in random media, Dr. Graham Eatwell and Professor J.B. Keller have treated waves in a medium of randomly distributed discrete scatterers. They have used a method like the path integral procedure used by Dashen to find the moments of a field in a continuous random medium. A paper on this work is in preparation.

Dr. John G. Watson and Professor Keller have published two papers, Nos. 83 and 112, on reflection of waves from rough boundaries. They are now completing a companion paper on rough interfaces. The novel features are the calculation of second moments of the scattered field, and the relation of the results to Twersky's method.

The effective viscosity of a periodic suspension and the effective elasticity tensor of a periodic composite have been calculated by Dr. Kevin C. Nunan and Professor Keller

in papers Nos. 100 and 101. The new features are that all components of the viscosity and elasticity tensors are found at all concentrations up to close packing. Related work on effective conductivity is being done by Mr. John Nevard and Professor Keller. So far the reciprocal theorem has been extended to anisotropic media.

In inverse scattering theory Dr. Margaret Cheney has developed the two and three dimensional theory in a number of papers (86, 99, 125), and applied it in several others (104, 123, 124) to problems which are more realistic than many which were treated previously. Dr. John Fawcett has also developed some theoretical results on stability (116) and on inversion of spherical means (121) as well as several more applied results (117, 118, 120). Professor Stephanos Venakides has employed the inverse scattering method to solve the Korteweg-de Vries equation in the zero dispersion limit (in paper No. 106) and in a manuscript in preparation. Mr. William Boyse and Professor Keller are analyzing the inverse problem for elastic media by the Born approximation.

Dr. Luis L. Bonilla has studied the effective elastic constants of aggregates of crystallites, each with cubic symmetry, by using invariance and symmetry methods (115). He and Professor Keller have also treated wave propagation and the acoustoelastic effect in such media (119).

Dr. Michael I. Weinstein and Professor Keller have successfully analyzed Hill's equation with a large potential and found the behavior of the stability bands in paper 122 and in a paper in preparation.

Accession For	
NTIS CRA&I	<input checked="checked" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	23

III. ABSTRACTS OF MANUSCRIPTS SUBMITTED DURING REPORT PERIOD

Newton's Second Law, by J.B. Keller

Newton's second law of motion is usually written in the form $\vec{f} = m\vec{a}$. Here \vec{a} denotes the acceleration of a point particle, m denotes the mass of the particle, and \vec{f} denotes the force acting on the particle. We wish to elucidate the empirical content of this law, and in particular to indicate whether it embodies a definition of force, a definition of mass, or a definition of both force and mass.

Effective Elastic Constants of Polycrystalline Aggregates, L.L. Bonilla

A method is presented for the determination of the effective elastic constants of a transversely isotropic aggregate of crystallites with cubic symmetry. The results obtained generalize those given in the literature for the second and third order elastic constants. In addition, the second moments and the binary angular correlations of the second order stiffnesses are obtained. It is also explained how these moments can be used to find the two-point correlations of the elastic constants.

On the Stability of Inverse Scattering Problems, J.A. Fawcett

Some aspects of the time-dependent inverse scattering problem are discussed. Then some simple stability results are presented. Several analytical and numerical examples are given to illustrate them.

Two Dimensional Modelling and Inversion of the Acoustic Wave Equation in Inhomogeneous Media, J.A. Fawcett

In this paper we outline a fast and efficient method for the finite difference calculation of solutions to the two dimensional acoustic wave equation in an inhomogeneous medium. We then implement our forward modeling scheme in an inversion procedure to determine the two dimensional velocity variation. A numerical example is given.

Three Dimensional Ray Tracing and Geophysical Inversion in Layered Media, J.A. Fawcett and H.B. Keller

In this paper the problem of finding seismic rays in a three dimensional layered medium is examined. The "layers" are separated by arbitrary smooth interfaces that can vary in three dimensions. The endpoints of each ray and the sequence of interfaces it encounters are specified. The problem is formulated as non-linear system of equations and efficient, accurate methods of solution are discussed. An important application of ray tracing methods, which is discussed, is the non-linear least squares estimation of medium parameters from observed travel times. In addition the "type" of each ray is also determined by the least squares process — this is in effect a deconvolution procedure similar to that desired in seismic exploration. It enables more of the measured data to be used without filtering out the multiple reflections that are not pure P-waves.

Acoustoelastic Effects and Sound Wave Propagation in Heterogeneous Anisotropic Materials, L.L. Bonilla and J.B. Keller

A theoretical analysis of acoustoelastic effects is presented. It is based upon the theory of sound wave propagation in a stressed heterogeneous anisotropic elastic medium composed

of grains. The effect of residual stress is included, and shown to be different from that of applied stress. The statistics of grain orientation and grain correlation are taken into account. The acoustoelastic coefficients and the effects of dispersion, attenuation and texture of the medium are determined.

Tomographic Reconstruction of Velocity Anomalies, J.A. Fawcett and R.W. Clayton

An approximate inversion formula is proposed for the reconstruction of slowness anomalies in a known depth varying background field. The data are observed traveltime perturbations for reflections from a known planar reflector. The limitations of the formula are discussed and numerical examples are given.

Inversion of N-dimensional Spherical Averages, J.A. Fawcett

In this paper we give a simple inversion formula for determining the even part of a function from its averages over the surfaces of spheres in \mathbb{R}^n , centred on a hyperplane $y = 0$. We first give the formula in Fourier space and then in physical space as a generalized convolutional back-projection.

Hill's Equation with a Large Potential, M.I. Weinstein and J.B. Keller

We obtain asymptotic expansions, for large values of the parameter λ , of the stability boundaries, the stability band widths, the Floquet multipliers and the solutions of Hill's equation

$$\left[-\frac{d^2}{dx^2} + \lambda^2 q(x) \right] u = Eu.$$

The potential $q(x)$ is assumed to be periodic and to have a unique global minimum within each period, at which $q'' > 0$. The results for the stability band widths show that they decay exponentially with λ as λ increases. These results generalize those for symmetric potentials due to Harrell, and that for the Mathieu equation due to Meixner and Schäfke.

Inversion of the 2.5-d Acoustic Equation, M. Cheney, S. Coen and A. Weglein

An inverse acoustic scattering theory and algorithm is presented for the reconstruction of a two dimensional inhomogeneous acoustic medium from surface measurements. The measurements of the surface pressure due to a harmonically oscillating surface point source at two arbitrary frequencies allows the separate reconstruction of the density and velocity of the subsurface. The solution of the inverse acoustic scattering problem is obtained by a transformation to an inverse quantum scattering problem in two dimension, the solution of which has been obtained recently by Cheney, who was inspired by Newton's solution in three dimensions. The solution presented is a generalization of Coen's and Stickler and Deift's solutions of the three dimensional acoustic problem for a plane stratified acoustic medium.

The Connection Between Time- and Frequency-domain Three Dimensional Inverse Scattering Methods, M. Cheney, J.H. Rose, and B. DeFazio

We relate three dimensional scattering theory for the time-independent Schrödinger equation without spherical symmetry to scattering theory for the plasma wave equation (PWE). We review a recent inverse scattering method for the PWE and find the corresponding method for the Schrödinger equation. We then review Newton's three dimensional Marchenko method for the Schrödinger equation and transform it to the corresponding

PWE method. The resulting time-domain hyperbolic method clarifies the role of causality in Newton's important recent work.

A Rigorous Derivation of the "Miracle" Identity of Three Dimensional Inverse Scattering, M. Cheney

The large-energy asymptotic behavior of scattering solutions of the three dimensional time-dependent Schrödinger equation is investigated. The second term of the expansion leads to the "miracle" of Newton's three dimensional inverse scattering theory.

Small Gap Flows, E.O. Tuck

This report consists of five chapters, namely:

1. Airfoils in Extreme Ground Effect, pp. 2-6.
2. Automobile Aerodynamics, pp. 7-11.
3. Shallow-water Waves at Discontinuities, pp. 12-16.
4. Sliding Sheets, pp. 17-20.
5. Wings Over Water, pp. 21-24.

These chapters are independent of each other, although linked by the "small-gap" theme. Chapters 1-4 were originally presented in the form of a lecture series in the Department of Naval Architecture and Offshore Engineering, University of California at Berkeley, during February and March 1984. Chapter 5 formed the basis for a presentation to the panel II5 (Analytical Ship-Wave Relations) of the Society of Naval Architects and Marine Engineers, on March 20th, 1984.

Research for and preparation of this report was carried out during a period spent by the author in the Department of Mathematics, Stanford University, January-May 1984.

Discriminant, Transmission Coefficient, and stability bands of Hill's equation,
J.B. Keller

The discriminant $\Delta(k^2)$ of Hill's equation is shown to be related to the transmission coefficient $T(k)e^{i\theta(k)}$ of one period of the potential by $\Delta(k^2) = [2/T(k)] \cos[k\pi + \theta(k)]$. This result is used to find the boundaries of the stability bands.

One Hundred Years of Diffraction Theory, J.B. Keller

The development of diffraction theory in the last 100 years is discussed from a personal viewpoint, with emphasis on the geometrical theory of diffraction. First some early work of Kirchhoff, Rayleigh, Sommerfeld, MacDonald and others is mentioned to indicate the state of the field in the 1940's. Next the author's work during World War II is described. Then the considerations that led him to the geometrical theory of diffraction are explained, and the defects of that theory are outlined. Finally the advances in the theory since its introduction, which have remedied many of these defects, are mentioned.

Soliton Generation and Nonlinear Wave Propagation, J.B. Keller

Soliton generation by various means is described. First experimental results of Wehausen et al on solitons generated by a ship model in a towing tank are presented. Then T.Y. Wu's related Boussinesq system of equations for shallow water motion with a moving pressure disturbance on the free surface is introduced. Numerical solutions of this system by Wu and Wu are shown to compare well with the experimental results. Similar numerical results on

an initial-boundary value problem for the KdV equation by Chu et al are presented which also yield soliton generation. Then Keener and Rinzel's analysis of pulse generation in the Fitzhugh-Nagumo model of nerve conductions is described. Next Whitham's modulation theory of nonlinear wave propagation is explained and the problem of relating its results to initial and boundary data is mentioned. Asymptotic methods for solving this problem for the KdV equation are described. They include the Lax-Levermore theory for the case of small dispersion, its extension by Venakides, and the centered simple wave solution of the modulation equations by Gurevich and Pitaevskii. Finally the theory of weakly non-linear waves of Choquet-Bruhat and of Hunter and Keller is described.

Computers and Chaos in Mechanics, J.B. Keller

Much recent progress in mechanics is related to the use of computers in the solution of problems, in the control of experiments, and in the analysis of data. These tools have made certain kinds of calculations and measurements easier. But they have also revealed the widespread occurrence of chaotic and stochastic behavior of mechanical systems, and have shown that there are certain regularities in this behavior. The understanding of the chaotic behavior and its regularities, and of how to analyze and control it, are unsolved problems. Many theoretical attacks have been made on these problems, but they have only touched the surface.

Semiclassical Mechanics, J.B. Keller

Classical mechanics and the quantum conditions of Planck, Bohr, Sommerfeld, Wilson and Einstein are presented. The virtues and defects of this "old quantum theory" are pointed

out. Its replacement by quantum mechanics is described, leading to the Schrödinger equation for the wave function and the corresponding energy eigenvalues. For separable systems, the reduction of this equation to ordinary differential equations and their asymptotic solution by the WKB method are described, as well as the resulting corrected quantum conditions with integer or half-integer quantum numbers. For nonseparable systems, the analogous asymptotic solution constructed by the author is described, together with the corrected quantum conditions to which it leads. Examples of the use of these conditions in the solution of eigenvalue problems are presented. It is explained that difficulties arise in using this method when the classical motion is stochastic or chaotic. Suggestions for overcoming these difficulties are mentioned.

Publications of the Applied Mathematics Group

72. P. F. Rhodes-Robinson On the generation of water waves at an inertial surface
Pub: J. Australian Math. Soc. B, 366-383, 1984.
73. R. E. Caflisch Dynamic theory of suspensions with Brownian effects
G. C. Papanicolaou
Pub: SIAM J. Appl. Math., 43, No. 4, 1983.
74. R. E. Caflisch Instability in settling of suspensions due to Brownian effects
G. C. Papanicolaou
Pub: Theory of Dispersed Multiphase Flow, R. Meyer, ed., Academic, New York 1983.
75. R. E. Caflisch Shock waves and the Boltzmann equation
B. Nicolaenko
Pub: Nonlinear Partial Differential Equations, J. Smoller, ed., Am. Math. Soc., Contemp. Math. Series 17, Providence R.I., 1983.
76. J. H. Maddocks Restricted quadratic forms and their application to bifurcation and stability in constrained variational principles
Acc. SIAM J. Appl. Math.
77. M. S. Falkovitz Spatially inhomogeneous polymerization in unstirred bulk
L. A. Segel
Pub: SIAM J. Appl. Math., 43, 386-416, 1983.
78. M. S. Falkovitz The scale of non-homogeneity as defined by diffusion measurements
J. L. Frisch
Pub: Journal of Membrane Science, 10, 61, 1982.
79. M. S. Falkovitz Optimal catalyst distribution in a membrane
H. L. Frisch
J. B. Keller
Pub: Chem. Eng. Sci., 39, No 3, 601-604, 1984.
- 80.* M. S. Falkovitz Crawling of Worms
J. B. Keller
Pub: J. Theor. Biol., 104, 417-442, 1983.
81. A. Jeffrey The random choice method and the free-surface water profile after the collapse of a dam wall
J. Mvungi
Pub: Wave Motion, 4, 381-389, 1982.

*Not supported by AFOSR or ONR.

82. J. G. Watson
E. L. Reiss A statistical theory for imperfect bifurcation
Pub: SIAM J. Appl. Math., 42, 135-148, 1982.

83. J. G. Watson
J. B. Keller Reflection, scattering and absorption of acoustic
waves by rough surfaces
Pub: J. Acoust. Soc. Am., 74, 1887-1894, 1983.

84. M. I. Weinstein Global existence for a generalized Korteweg -
de Vries equation
Sub: SIAM J. Math. Anal.

85. M. I. Weinstein Nonlinear Schrödinger equations and sharp
interpolation estimates
Pub: Commun. Math. Phys., 87, 567-576, 1983.

86. M. Cheney Two-dimensional scattering: the number of
bound states from scattering data
Acc: J. Math. Phys.

87. L. L. Bonilla
A. Liñán Relaxation oscillations, pulses, and travelling
waves in the diffusive Volterra delay-differential
equation
Pub: SIAM J. Appl. Math., 44, 369-391, 1984.

88. P. F. Rhodes-Robinson Note on the effect of surface tension on water
waves at an inertial surface
Pub: J. Fluid Mech., 125, 375-377, 1982.

89. J. B. Keller
J. Hunter Weak shock diffraction
Pub: Wave Motion, 6, 79-89, 1984.

90. J. B. Keller
J. Hunter Weakly nonlinear high frequency waves
Pub: Comm. Pure Appl. Math., 36, 547-569, 1983.

91. J. B. Keller
J. C. Neu Asymptotic analysis of a viscous Cochlear model
Sub: J. Acoust. Soc. Am.

92. J. B. Keller
J.-M. Vanden-Broeck Parabolic approximations for ship waves and wave
resistance
Pub: Proc. 3rd Intl. Conf. on Numerical Ship
Hydrodynamics, Paris, France, June 16-19, 1981,
227-246.

93. A. Spence
 A. Jepson The numerical computation of turning points of
 nonlinear equations
 Pub: Treatment of Integral Equations by Numerical
 Methods, 169-183, London, 1982.

94. J. B. Keller
 R. Burridge Biot's poroelasticity equations by homogenization
 Pub: Springer Lecture Notes, in Macroscopic
 Properties of Disordered Media, NY, 51-57, 1982.

95. J. B. Keller Capillary waves on a vertical jet
 Pub: J. Fluid Mech., 135, 171-173, 1983.

96. J. B. Keller
 A. S. Whittemore Survival estimation using censored data
 Sub: J. Royal Statist. Soc., Series B

97. J. B. Keller
 J. F. Geer Eigenvalues of slender cavities and waves in
 slender tubes
 Pub: J. Acoust. Soc. Am., 74, 1895-1904, 1983.

98. J. B. Keller
 R. Voronka Valuation of stocks and options
 To be submitted.

99. M. Cheney Inverse scattering in dimension two
 Pub: J. Math. Phys., 25 (1), 94-107, 1984.

100. K. C. Nunan
 J. B. Keller Effective viscosity of a periodic suspension
 Pub: J. Fluid Mech., 142, 269-287, 1984.

101. K. C. Nunan
 J. B. Keller Effective elasticity Tensor of a Periodic Composite
 Acc: J. Mech. Phys. Solids, in press.

102. J. B. Keller Breaking of liquid films and threads
 Pub: Phys. Fluids, 26, 3451-3453, 1983.

103. J. B. Keller
 G. R. Verma Hanging rope of minimum elongation
 Acc: SIAM Rev., in press.

104. M. Cheney
S. Coen
A. Weglein
Velocity & density of a two-dimensional acoustic medium from point source surface data
Acc: J. Math. Phys.
105. J. B. Keller
Probability of a shutout in racquetball
Pub: SIAM Rev., 26, 267-268, 1984.
106. S. Venakides
The Zero Dispersion Limit of the Korteweg-de Vries Equation for Initial Potentials with Non-trivial Reflection Coefficient
Acc: Comm. Pure Appl. Math.
107. J. H. Maddocks
Stability of Nonlinearly Elastic Rods
Acc: Arch. Rat. Mech. Anal., in press.
108. J. B. Keller
Genetic Variability Due to Geographical Inhomogeneity
Acc: J. Math. Biol., in press.
109. J. B. Keller
M. S. Falkovitz
Precipitation pattern formation
In preparation.
110. V. Twersky
Scattering and Nonscattering Obstacles
Pub: SIAM J. Appl. Math., 43, No 4, 1983.
111. R.E. Caflisch
J.H. Maddocks
Nonlinear Dynamical Theory of the Elastica
Sub: Proc. Roy. Soc. Edin.
112. J.B. Keller
J.G. Watson
Rough Surface Scattering via the Smoothing Method
Acc: J. Acoust. Soc. Am.
113. J.B. Keller
Free boundary problems in mechanics
Acc: Lectures in Partial Differential Equations
S.S. Chern, editor, Springer New York, in press.
114. J.B. Keller
Newton's second law
Sub: Am. J. Physics

115. L.L. Bonilla Effective elastic constants of polycrystalline aggregates
Sub: J. Mech. and Phys. Solids
116. J. Fawcett On the Stability of Inverse Scattering Problems
Acc: Wave Motion
117. J. Fawcett Two Dimensional Modelling and Inversion of the Acoustic Wave Equation in Inhomogeneous Media
Pub: Stanford Exploration Project, Dept. of Geophysics, Stanford University, 38, 297-313, May 1984.
118. J. Fawcett Three Dimensional Ray Tracing and Geophysical Inversion in Layered Media
H.B. Keller
Sub: SIAM J. Appl. Math.
119. L.L. Bonilla Acousto-elastic effects and sound wave propagation in heterogeneous anisotropic materials
J.B. Keller
Sub: J. Mech. and Phys. Solids
120. J. Fawcett Tomographic Reconstruction of Velocity Anomalies
R.W. Clayton
Sub: Bulletin of the Seismological Soc. Am.
121. J. Fawcett Inversion of N Dimensional Spherical Averages
Sub: SIAM J. Appl. Math.
122. M.I. Weinstein Hill's equation with a large potential
J.B. Keller
Sub: Comm. Math. Phys.
123. M. Cheney Inversion of the 2.5-D Acoustic Equation
S. Coen
A. Weglein
Pub: Proceedings of the Conference on Inverse Scattering Theory and Application, Tulsa, 1983.
124. M. Cheney The connection between time- and frequency- domain three-dimensional inverse scattering methods
J.H. Rose
B. DeFacio
Acc: J. Math. Phys.
125. M. Cheney A rigorous derivation of the 'Miracle' of three-dimensional inverse scattering theory
Acc: J. Math. Phys.
126. E.O. Tuck Small Gap Flows (A Lecture Series)
Pub: Applied Mathematics Group, Dept. of Mathematics, Stanford University, AMG-84-126, March 84.
and
Dept. of Naval Architecture & Offshore Engineering, University of California, Berkeley, NAOE 84-1, April 1984.

127. J.B. Keller Discriminant, transmission coefficient and stability
bands of Hill's equation
Sub: J. Math. Phys.
128. J.B. Keller One hundred years of diffraction theory
Acc: Trans. IEEE PGAP
129. J.B. Keller Soliton generation and nonlinear wave propagation
Acc: Phil. Trans. R. Soc.
130. J.B. Keller Semiclassical Mechanics
Sub: SIAM Review

END

FILMED

6-86

DTIC